

Work Order ID 51695

August 27, 2009 3:19:58 PM



Page 1

Item ID: D3556-1

Accept



Setup Start



Revision ID: B

Stop



Item Name: Clamp

Start Date: 08/27/2009 Start Qty: 50.00



Cust Item ID:

Required Date: 09/04/2009 Req'd Qty: 50.00



Customer:

Reference:

Approvals:

Process Plan: *PL*

Date: *08-27*

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3556	Rev B								
100		0.00							
	PURCHASING								
Purchasing	Memo	0.00							
Purchasing	Issue P/O: <i>10236</i>								
	Cut & Form as per Dwg D3556								
	Material release note is required								
110		0.00							
	Receive & Inspect for Damage & Mat'l Certs								
Packaging	Memo	0.00							
Packaging	Ensure Material Release Note is attached								
120		0.00							
	QC6- Inspect dimensions to drawing								
QC	Memo	0.00							
Quality Control									

CL 09/08/28 50

09/17 (50)

=> 809/09/17

counters (x50) f

Work Order ID 51695

August 27, 2009 3:19:58 PM

Page 2

Item ID: D3556-1

Accept

Revision ID: B

Item Name: Clamp

Setup Start

Stop

Start Date: 08/27/2009 Start Qty: 50.00

Cust Item ID:

Required Date: 09/04/2009 Req'd Qty: 50.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130



Small Fab

Small Fab

0.00

Memo

0.00

Small Fab

Tumble & Deburr any rough edges

B 9921

140



QC

Quality Control

QC5- Inspect part completeness to step on W/O

0.00

Memo

0.00

27 809/01/21

center
(x50)

150



Packaging

Packaging

Identify as per dwg & Stock Location: 462

0.00

Memo

0.00

919121 (50x) SP

Work Order ID 51695

August 27, 2009 3:19:58 PM



Page 3

Item ID: D3556-1

Accept



Setup Start



Revision ID: B

Stop



Item Name: Clamp

Start Date: 08/27/2009 Start Qty: 50.00



Cust Item ID:

Required Date: 09/04/2009 Req'd Qty: 50.00



Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

09/09/21



MF
09-09-21


August 27, 2009 3:20:44 PM

Page 1

[illegible]**Required Date:** 09/04/2009

Required Qty: 50.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D3556-1PRevB		Purchased	No			100	Each	0.0000	50.0000			
 												
CLAMP												





51695

RELEASED


NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 16 GAUGE,
PER MIL-S-5059 (REF DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N D3556-1 USING FINE POINT PERMANENT
INK MARKER
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) PART IS SYMMETRIC ABOUT ϕ
- 8) WEIGHT: 0.09 lbs

B	SHEET 1 NOTE 1 MATERIAL WAS MIL-S-5019, SHT 2 ZN B1 SLOT LENGTH WAS 0.357 (REF NCR 257). DRAWING TRANSFERRED TO "B" SIZE & UPDATED TO CURRENT STANDARDS.		AJS	08.07.11
A	NEW ISSUE		CB	07.02.13
REV.	DESCRIPTION		BY	DATE
DESIGN	CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3556 REV. B SHEET 1 OF 2 TITLE CLAMP SCALE NTS DATE 08.07.11 <small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>		
DRAWN	AJS			
CHECKED				
MFG. APPR.				
APPROVED				
DE APPR.				



D3556-1 CLAMP



D3556-1F FLAT PATTERN

51695
RELEASED
08.07.11

DESIGN	CB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3556	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		CLAMP	NTS
DATE	08.07.11	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO10236

Purchase Order Date 8/21/09

PO Print Date 8/28/09

Page Number 1 of 1

Order From :

VC-GFI001

GFI
180 AVENUE LABROSSE
POINTE CLAIRE, QC H9R 1A1
CA

REVISED

FAKED

Contact Name

Vendor Phone 514 630 4877

Vendor Fax 514 630 4849

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms Net 30

Currency CAD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D3556-1P B	CLAMP	9/10/09 Yes	50.00 Each	Purolator ground	\$5.6000	\$280.00
		Special Inst:	AS PER DWG D3556 REV. B B51405 CUT & FORM				
2	D3556-1P B	CLAMP	9/10/09 Yes	50.00 Each	Purolator ground	\$5.6000	\$280.00
		Special Inst:	AS ABOVE B51695				

CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

PO Total: \$560.00

Change Nbr: 3

Change Date: 8/28/09

CZ

W

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable



180 AVENUE LABROSSE
POINTE-CLAIRE, QUÉ., CANADA H9R 1A1
TÉL.: (514) 630-4877 - FAX: (514) 630-4849

GFI est une division de Thomas & Betts Fabrication Inc. / GFI is a division of Thomas & Betts Manufacturing Inc.

VENDEUR À / SOLD TO

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON, K6A 1K7




BON DE LIVRAISON - SHIPPING MEMO

DATE DE LIVRAISON SHIPPING DATE	N° BON DE LIVRAISON SHIPPING MEMO NO.
2009/09/15	0424566

EXPÉDIÉ À / SHIPPED TO

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON, K6A 1K7

CODE DE CLIENT CUSTOMER CODE	N° DE CONTRAT JOB NO.	N° COMMANDE PO NO.	VIA SHIP VIA
DART GFI-0299	J0204134	PO10236	
QUANTITÉ QUANTITY	VOTRE N° DE PIÈCE YOUR PART NO.	DESCRIPTION	
100	D35561 <i>SPUT</i> MFG. JOB # <u>J0204134-01 QTY 100</u>  → 50 for w/o 51695 → 50 for w/o 51405	CLAMP CERTIFICATE OF CONFORMANCE REQ	

TOUTES LES RÉCLAMATIONS DOIVENT ÊTRE FAITES EN DEDANS DE 5 JOURS DE LA RÉCEPTION
ALL CLAIMS MUST BE MADE WITHIN 5 DAYS OF RECEIPT OF GOODS.

RECU PAR / RECEIVED BY

CERTIFICATE OF COMPLIANCE
CERTIFICAT DE CONFORMITE



Membre de / A Member of **Thomas & Betts**

180 LABROSSE AVENUE
POINTE CLAIRE, QC
H9R 1A1

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7

CERTIFICATE NO. 6 OUR JOB NO J0204134 SHIPPING MEMO 0424566

ITEM	QUANTITY	PURCHASE ORDER	PART NUMBER	REV	NAME	DWG ISSUE
--	<u>100 PCS</u>	<u>PO10236</u>	<u>D35561</u>	<u>B</u>	<u>CLAMP</u>	<u>B</u>

MATERIAL SST 304 SUPPLIED BY TW METALS / ALLEGHENY LUDLUM MAT. REL. NO. H/N # 828977

	PROCESS	PROCESSOR	RELEASE NOTE #
1	<u>FIRST ARTICLE INSPECTION REPORT ON FILE</u>	<u>GFI</u>	<u>CONFORMS</u>
2	<u>REF. GFI MANUFACTURING JOB NUMBER J0204134-01 (100 PCS)</u>		
3			
4	<u>209/09/17</u>		
5			
6			
7			
8			
9			

WE HEREBY CERTIFY ALL THE PARTS COVERED BY THIS CERTIFICATE HAVE BEEN MANUFACTURED FROM MATERIAL SUPPLIED ON RELEASE NOTE SHOWN ABOVE AND THAT ALL PARTS HAVE BEEN INDIVIDUALLY INSPECTED AND CONFORM TO THE DRAWINGS AND PURCHASE ORDER REFERENCED ABOVE.

DATE 15 SEPTEMBER 2009

G.F.I. Q.C. REP. Dallon Hork



DP12-001 REV 0 Bombardier Certificate of Compliance
TW Metals District Procedure

Revision 0

Revision Date 04-03-00

Superseding Initial

Page 1 of 1

CERTIFICATE OF COMPLIANCE

FRAUD AND FALSIFICATION STATEMENT

The recording of false, fictitious, or fraudulent statements or entries on this document may be punished as a felony under federal statutes including federal law Title 18 chapter 47

CERTIFICATE OF COMPLIANCE

This certificate of compliance certifies that the material supplied on the purchase order number below complies in all respects with the material description and procurement specifications

MERCURY FREE STATEMENT

We certify that mercury, radium, or alpha bearing instruments and / or equipment which might cause contamination have not been used in the manufacture, fabrication, assembly or testing of any material supplied by TW Metals Inc. Switches, glass thermometers, standard cell and other items containing the above elements may be used, but they will be located so as not to constitute a contamination hazard

CUSTOMER NAME

GFI

PURCHASE ORDER No

0075846

ITEM No

0001

SHIPPER INVOICE No

03251327

MATERIAL

304-5/5 Sheet

SPECIFICATION

Ams 2248F

MANUFACTURING MILL

ATI Allegheny Ludlum

SIZE

.0625

HEAT / LOT No

828977

PART No

TSD6348X964A

QUANTITY

2EA.

TEST DEPARTMENT CLERK

Amy Davis

AUTHORITY

809/09/17

Joe Schab

Director of Quality Assurance

NOTICE OF SHIPMENT/
PACKING LIST

CERTIFICATE OF TEST

AL 6150-3 008

QTY, CTRY, NO & DATE	01014159	04/02/09	110977	VANDERGRIFF, PA.	423467	13020102060000	30-049-021	06/22/09
FORMS DISTRIBUTION	1	1	1	1	1	1	1	1
REPEAT ORDER	82037-4	26	PRIME SEC.	DSO	DSO	1124	VANDERGRIFF	PA 657053

GRADE AND SPECIFICATIONS
 ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (UPM 304L/304/302 LCH) (AMS 2248F) (AMS 5511H) (AMS 5513H) (AMS 5516P) (ASTM-A-262-02A PRA E/SCREEN PRA A) (ASTM-A-666-03) (B-400 DTD 10/31/07) (ASTM-A-240-08A) (B-1000 DATED 1/2/08) (ASME-SA-240-07) (10/21/08 EXCEPT UPM 304L/304/302) (UNS S30403) (UNS S30200) (UNS S30400) (UPM-QRS-001) (PWA 300 REV BH) (F-14, P-17, F-22, P-23, F-MASTER) (CONTROLLED TO PWA LCS REQUIREMENTS)

CARRIER - CLAY TRANSPORT, INC.

ITEM	PCS	DIMENSIONS W/O/L	HEAT #	COIL #	TEST #	GROSS TARE NET	THRO	TAG #/ CD	SKID #
001	1	48.7.062/2068.	828977	05279N661	8761980	21355 50 21305			645303
C CUST IDENTITY 00640									
1 SKID						21355 50 21305			

TYPE HEAT/TEST	--C--	--MN--	--P--	--S--	--SI--	--CR--	--NI--	--MO--	--CU--	--N--
HEAT 828977	.020	1.76	.032	.0001	.43	18.37	8.12	.40	.43	.07
CHECK 8761849	.020	1.78	.033	.0002	.43	18.46	8.14	.41	.44	.06

ITEM TEST NO	YIELD PSI *	TENSILE PSI	% ELONG IN 2"	% R/A	HARDNESS 83.HRBW	BEND T PASS	CORROSION A 262 PR E PASS	GRAIN SIZE 7.
001 8761980	T 41700.	95000.	75.		80.HRBW			
* V.S. BY 0.2% OFFSET METHOD								

ITEM TEST NO	MELT SOURCE	PEW E-2b TRAN BEND
001 8761980	1.	2.

METALLOGRAPHIC MAGNIFICATION: 100X ETCHANT USED: OXALIC ACID

GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

PAGE 01 - CONTINUED ON PAGE 02

CAUTION: Please Note - The information contained here is for informational purposes only. It is not intended to be used as a substitute for the actual product. For more information, please contact the manufacturer or the supplier. If any discrepancy is detected, please contact the manufacturer or the supplier immediately.


Material Safety Data Sheet for this product has been prepared by the manufacturer and is available upon request. For an additional copy, please contact the manufacturer or the supplier. If any discrepancy is detected, please contact the manufacturer or the supplier immediately.

WARNING: This document contains information that is the property of Allegheny Ludlum. It is not to be distributed outside the company without the express written permission of Allegheny Ludlum. Any unauthorized disclosure of this information is strictly prohibited and may result in legal action.

The above is a true copy of the original. The number and date of the copy are as shown. The number and date of the original are as shown. The number and date of the copy are as shown. The number and date of the original are as shown.

REVIEWED BY: Q.C.

Date 6/23/09 by JS



NOTICE OF SHIPMENT/
PACKING LIST

CERTIFICATE OF TEST

AL 8182-3 006

CUST. ORD. NO. & DATE		CUST. CODE	ACCEPTED MTL	SHIPPER NO.	PRODUCT CODE	ROLL ORDER NUMBER	DATE SHIPPED
01014169		04/02/09 110977	VANDERGRIFF, PA.	423467	13020102060000	30-049-021	06/22/09
FORMAL DISTRIBUTION		REPEAT ORDER	DO RATE ONLY	CONF CONTRACT	MTL	SHIPPED LOCATION	INVOICE
SOLD TO →		82037-4 126	PRIME SEC.		1192 HANDED BY	PA	657053
			DSO DSO				
			584				

GRADE AND SPECIFICATIONS

CARRIER - CLAY TRANSPORT, INC.

ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (UPM 304L/304/302 LCS) (AMS 2248P) (AMS 5511H) (AMS 5513H) (AMS 5516P) (ASTM-A-262-02A PRA E/SCREEN PRA A) (ASTM-A-666-03) (S-400 DTD 10/31/07) (ASTM-A-240-08A) (S-1000 DATED 1/2/08) (ASME-SA-240-07) (10/22/08 EXCEPT UPM 304L/304/302) (UNS S30403) (UNS S30200) (UNS S30400) (UPM-QRS-001) (PWA 300 REV BH) (F-14, F-17, F-22, F-23, F-MASTER) (CONTROLLED TO PWA LCS REQUIREMENTS)


AUSTENITIC STAINLESS STEELS ARE SOLUTION ANNEALED AT 1900 DEGREES FAHRENHEIT MINIMUM (1038 C) AND RAPIDLY COOLED TO DEVELOP THE SPECIFIED PROPERTIES. EVIDENCE OF CONFORMANCE IS PROVIDED BY THE ABILITY OF THE MATERIAL TO MEET THESE SPECIFIED MECHANICAL AND CORROSION REQUIREMENTS

ALLEGHENY LUDLUM DOES NOT USE MERCURY IN THE TESTING OR PRODUCTION OF ITS PRODUCTS. TO THE BEST OF ALLEGHENY LUDLUMS KNOWLEDGE, UNDERSTANDING, AND BELIEF, THIS MATERIAL WAS NOT CONTAMINATED BY MERCURY WHILE IT WAS BEING PRODUCED IN OUR FACILITIES.

NO WELDS/WELD REPAIRS PERFORMED.

THE NUMERIC CODES SHOWN UNDER MELT SOURCE CAN BE INTERPRETED AS FOLLOWS:

1. - MATERIAL MELTED AND ROLLED IN THE UNITED STATES AND COMPLIES WITH DFARS EDITION 1998, SECTION 252.225-7014
2. - FOREIGN MELT AND ROLLED IN THE UNITED STATES



PAGE 02 - CONTINUED ON PAGE 03

06/22/09 09:48:07

TERMINABLE: Please Note: The purchaser understands that the material is sold under conditions and is not to be used for any purpose other than that specified in the purchase order. The purchaser is responsible for any damage to the material caused by improper use. The purchaser is responsible for any damage to the material caused by improper use. The purchaser is responsible for any damage to the material caused by improper use.

Allegheny Ludlum does not warrant the product for any purpose other than that specified in the purchase order. The purchaser is responsible for any damage to the material caused by improper use. The purchaser is responsible for any damage to the material caused by improper use. The purchaser is responsible for any damage to the material caused by improper use.

Allegheny Ludlum does not warrant the product for any purpose other than that specified in the purchase order. The purchaser is responsible for any damage to the material caused by improper use. The purchaser is responsible for any damage to the material caused by improper use. The purchaser is responsible for any damage to the material caused by improper use.

The purchaser is responsible for any damage to the material caused by improper use. The purchaser is responsible for any damage to the material caused by improper use. The purchaser is responsible for any damage to the material caused by improper use.

NOTICE OF SHIPMENT/
PACKING LIST

CERTIFICATE OF TEST

AL0169-2408

QTY, CTRY, NO. & DATE	QTY, CODE	ACCEPTING VILL	SHIPPER NO.	PRODUCT CODE	ALL ORDER NUMBER	DATE SHIPPED
01014169	04/02/09 110977	VANDERGRIFF, PA.	423467	13020102060000	10-049-021	06/22/09
REMARKS	ORDER	DATE	QTY CONTRAST	QTY	SHIPPING LOCATION	GRADE
1	82037-4	25		1124	VANDERGRIFF	PA 657053
	PRIME	SEC.				
	DSO	DSO				
	584					

GRADE AND SPECIFICATIONS CARRIER - CLAY TRANSPORT, INC.
 ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (UPM 304L/304/302 LCS) (AMS 2248F) (AMS 5511H) (AMS 5513H) (AMS 5516P) (ASTM-A-262-02A PRA B/SCREEN PRA A) (ASTM-A-666-03) (S-400 DTD 10/31/07) (ASTM-A-240-08A) (S-1000 DATED 1/2/08) (ASME-SA-240-07) (10/22/08 EXCEPT UPM 304L/304/302) (UNS S30403) (UNS S30200) (UNS S30400) (UPM-QRS-001) (PWA 300 REV BH) (F-14, F-17, F-22, F-23, F-MASTER) (CONTROLLED TO PWA LCS REQUIREMENTS)

THIS CERTIFICATE OF TEST SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ALC QUALITY MANUAL REVISION 17 DATED 05/12/2008. ALC HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001. DIN EN 10204:2005 - 3.1. ALLEGHENY LUDLUM IS APPROVED AS A MANUFACTURER ACCORDING TO AD-MERK BLATT NO/TRD100 AND THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC. TESTING WAS PERFORMED AT ALC NADCAP AND ISO/IEC 17025 APPROVED LABORATORIES LOCATED AT NATRONA HEIGHTS, BRACKENRIDGE, LATROBE, AND MIDLAND, PA FACILITIES OR A NADCAP AND ISO/IEC 17025 ACCREDITED LABORATORY.

ATI-ALLEGHENY LUDLUM HOLDS SEVERAL QUALITY AND LABORATORY CERTIFICATIONS THAT INCLUDE ISO-9001:2000, AS9100, AD 2000-MERKBLATT NO. AND EU PRESSURE EQUIPMENT DIRECTIVE 97/23/EC, NADCAP MATERIALS TESTING, ISO/IEC 17025, GEAR S400, GEAR S1000. REFER TO WWW.ALLEGHENYLUDLUM.COM TO ACCESS THE CURRENT ATI-AL QUALITY CERTIFICATIONS.

ALLEGHENY LUDLUM WORKS TO THE ROLLS ROYCE RR9000-SABRE REQUIREMENTS.

MATERIAL TESTED AT ALLEGHENY LUDLUM GEAR S400 (DATED 10/31/07) APPROVED FACILITIES (T1225): NATRONA HEIGHTS TECHNICAL CENTER AND BRACKENRIDGE, PA.

PAGE 03 - CONTINUED ON PAGE 04

06/22/09 09:48:07


ATTENTION: Please Note: The information here listed over to the right is for your reference only. It is not intended to be used as a basis for any action. It is the responsibility of the user to verify the information for their own use. If any errors or omissions are discovered, please contact the manufacturer immediately.

Material Safety Data Sheet for this product have been supplied to your purchasing department. For the latest copy please call 724-225-4877. CAUTION: Please read the entire label, which is located on the container. Do not use the product if the label is missing or if the label is damaged.

WARNING: Les fiches d'information ont été fournies à votre département d'achat. Pour obtenir la dernière copie, veuillez appeler 724-225-4877. ATTENTION: Lire attentivement l'étiquette et les données de sécurité, qui se trouvent sur le conteneur. Ne pas utiliser le produit si l'étiquette est manquante ou si elle est endommagée.

The above is a true copy of the original and has been verified by the manufacturer and is accurate as of the date of the original. The information is for your reference only. It is not intended to be used as a basis for any action. It is the responsibility of the user to verify the information for their own use. If any errors or omissions are discovered, please contact the manufacturer immediately.

Tony McNeil
Director, Corporate Quality Assurance



Authorized Signature

TW METALS
TEST M49211688
JUN 29 2009
ACCEPTED BY